

# SOLAR FENCING



[www.lesotek.com](http://www.lesotek.com)

# INTRODUCTION



LST is designing solar fencing which are well design to illuminate large areas with the highest intercity of fencing security. These are used for farmer applications, parking lots and bungalows security using high quality of solar systems.

LST offers wide variety of solar fencing configuration and styles to meet your specific needs. The system will be configure according to the environmental conditions of the installation site as well as your specific requirements.

## APPLICATION OF SOLAR FENCING

- Farmer application
- Security and safety
- Rural area
- Parking lot
- Parkway
- Walkway
- Street road
- Military and civil security
- Forest

# TECHNICAL SPECIFICATION



Units	12 Hrs	24 Hrs
Input DC Voltage	12 V	12 V
Area of Range	25-30 Acres	20-25 Acres
Grade	IP65	IP65
Type of Controller	Microcontroller Based	Microcontroller Based
Solar Panel	15 W	30 W
Battery	12 V, 12 Ah	12 V, 26Ah
Wire Material	G.I./Aluminum	G.I./Aluminum
Wire Thickness	14/16" Gauge	14/16" Gauge

## NOTES

- Technical criteria may be changed on installation site basis. It will effect on quotation.
- Installation cost will be extra.
- Subsidy documents must be provide by customer.

# CONTACT US



## HEAD OFFICE

M/s. Lesotek  
A1/3, Green City, Opp.Videocon,  
GIDC Sector 26,  
Gandhinagar - 382028

**Web Site :** [www.lesotek.com](http://www.lesotek.com)

**Email :** [info@lesotek.com](mailto:info@lesotek.com)

**Contact :** +91-9924127479 / 9601769995 (Gandhinagar, Gujarat)  
+91-9662525071 (Vadodara, Gujarat)  
+91-9686932989 (Bangalore, Karnataka)

All weights and dimensions are approximate. Specifications are subject to change without prior notice. © LST 2013. All Rights Reserved.

Solar Fencing Products  
Catalogue V13